

JOURNAL OF THE BRITISH TRUST FOR ORNITHOLOGY RINGING SCHEME

Ring & *Migration*

VOLUME 20
2000 and 2001

Editor

Mike Hounscome (2000)

Ian R.Hartley and Mike Hounscome (2001)

Editorial Panel

2000

Franz Bairlein, Peter Ferns, Stephen Norman, David Norman and Roger Riddington

2001

Franz Bairlein, Peter Ferns, Jennifer Gill, Iain Main, Stephen Norman, Jane Reid,
Roger Riddington and Jeremy Wilson.

ISSN 0307-8698

Ringing & Migration

Contents of Volume 20, 2000 and 2001

Part 1 (May 2000)	Page
What problems do local habitat change represent for the Constant Effort Site ringing scheme? N.M. Harrison, M.J. Whitehouse, P.A. Prince and N. Huin.	1
Biometrics amongst Dippers <i>Cinclus cinclus</i> in the north of Spain. L. Esteban, F. Campos and A.H. Ariño	9
Cases of serial descendant primary moult (Staffelmauser) in the Black-shouldered Kite <i>Elanus caeruleus</i> . M. Herremans	15
Migration patterns and moult of Common Terns <i>Sterna hirundo</i> and Sandwich Terns <i>Sterna sandwicensis</i> using Teesmouth in late summer. R.M. Ward	19
Recurrence of some palaeartic migrant passerine species in West Africa. V. Salewski, F. Bairlein and B. Leisler	29
Partial winter primary moult in Chiffchaffs <i>Phylloscopus collybita</i> G. Nikolaus	31
Autumn vagrancy: "reverse migration" and migratory orientation. J. Phillips	35
Bird Ringing in Britain and Ireland in 1998. J.A. Clark, C.V. Wernham, D.E. Balmer, S.Y. Adams, J.R. Blackburn, B.M. Griffin and J. King	39
Papers from Ringing Group Reports. B. Galpin	94
Part 2 (November 2000)	
Migration patterns of Common Gulls <i>Larus canus</i> ringed in the non-breeding season in Copenhagen and the surrounding area. K.T. Pedersen, E.B. Fritze and S.P. Kharitonov	97
Fledging weight and juvenile survival of Cory's Shearwaters <i>Calonectris diomedea</i> on Selvagem Grande. J.-L. Mouglin, Chr. Jouanin, F. Roux and F. Zino	107
Sexing Blue Tits <i>Parus caeruleus</i> during the winter, with comments on reporting sexing criteria. D.G.C. Harper	111
Some aspects of the population structure of Storm Petrels <i>Hydrobates pelagicus</i> breeding on a Mediterranean island. F. Lo Valvo and B. Massa	125
Attracting and capturing Coal Tits <i>Parus ater</i> : biases associated with the use of tape lures. L. Brotons	129
Changes in body mass of Common Guillemots <i>Uria aalge</i> in southeast Scotland throughout the year: implications for the release of cleaned birds. M.P. Harris, S. Wanless and A. Webb	134
Post-breeding and post-juvenile moult of House Martins <i>Delichon urbica</i> at colonies in Spain. L.A. Hill	143
Movement of Dippers <i>Cinclus cinclus</i> in southwest Ireland. J. O'Halloran, P. Smiddy and B. O'Mahony	147
Spring weather and the migration of geese from Scotland to Iceland. H. Boyd, M.V. Bell and A.D. Watson	153
The partial migration of Fennoscandian Greenfinches <i>Carduelis chloris</i> . I.G. Main	167
Site fidelity of Cormorants <i>Phalacrocorax carbo</i> wintering in southern France and northern Spain. J.M. Lekuona and F. Campos	181
Results from a late autumn ringing project in Kuwait, 1995. N. Cleere, D. Kelly and C.W.T. Pilcher	186
A formula for determining age in nestling Shags <i>Phalacrocorax aristotelis</i> . N. McCanch	191

Part 3 (May 2001)

Moult and ageing of Storm Petrels, <i>Hydrobates pelagicus</i> . M. Bolton and R. Thomas	193
June broods are of greatest benefit to Sand Martins <i>Riparia riparia</i> . E. Cowley	202
A model describing the exchange of individuals between Turnstone <i>Arenaria interpres</i> roosts on the North Wales coast. J.W. Pearce-Higgins	209
Reaction of Redshank <i>Tringa totanus</i> to colour rings. N.H.K. Burton	213
Body weight variation and fat deposition in Common Sandpipers <i>Actitis hypoleucos</i> L. during their autumn migration in the Ria de Vigo, Galicia, north-west Spain. J. Arcas	216
The use of primary abrasion for ageing Reed Buntings <i>Emberiza schoeniclus</i> . J. De La Puente and J. Seoane	221
Identification of Marsh Warblers <i>Acrocephalus palustris</i> and Reed Warblers <i>A. scirpaceus</i> on autumn migration through the eastern Mediterranean. J.D. Wilson, T. Akriotis, D.E. Balmer and A. Kyrkos	224
The Spring stopover of the Reed Warbler <i>Acrocephalus scirpaceus</i> in northeast Spain. D. Robson, C. Barriocanal, O. Garcia and O. Villena	233
Bird Ringing in Britain and Ireland in 1999. J.A. Clark, C.V. Wernham, D.E. Balmer, S.Y. Adams, B.M. Griffin, J.R. Blackburn, D. Anning and L.J. Milne	239

Part 4 (November 2001)

Notch Factor – a technique for separating Marsh Warblers <i>Acrocephalus palustris</i> from Reed Warblers <i>A. scirpaceus</i> on spring migration. D. Kelly, N. Cleere and C.W.T. Pilcher	289
Site fidelity and recurrence of some migrant bird species in The Gambia. J.M.B. King and J.M.C. Hutchinson	292
Biometrics of adult Grey Plovers <i>Pluvialis squatarola</i> breeding in the Lena Delta, NE-Siberia (The Sakha Republic, Yakutia). K.-M. Exo and O. Stepanova	303
Redwing <i>Turdus iliacus</i> migration in Italy: an analysis of ringing recoveries. A. Andreotti, L. Bendini, D. Piacentini and F. Spina	312
Effects of handling stress on Brunich's Guillemots <i>Uria lomvia</i> . L.J. Wilson and A.J. Gaston	320
Biometrics of the Twite <i>Carduelis flavirostris</i> . H. Clark and R.M. Sellers	328
The status of Icelandic Redshank <i>Tringa totanus robusta</i> in north Kent during autumn. K. Derret and R. Smith	338
Migration of four Sylvia warblers through northern Senegal. U. Ottosson, S. Rumsey and C. Hjort	344
A method for ageing adult Corncrakes <i>Crex crex</i> . R.E. Green, N. Schäffer and D. Wend	352
Migration patterns and sex ratios of diving ducks wintering in Northern Ireland with specific reference to Lough Neagh. D.M. Evans and K.R. Day	358
Biometrics and sex ratios of Skylarks <i>Alauda arvensis</i> during migration in southern Italy. S. Scebba	364
Evening mist-net closure: implications for data collection and bird welfare. A. Sorace, M. Gustin and G. Landucci	371
The impact of trapping and handling activities on the breeding performance of Hooded Crows <i>Corvus corone cornix</i> . H. Olsen and N.M. Schmidt	377
Complete post-breeding moult in Reed Warbler <i>Acrocephalus scirpaceus</i> in southern Sardinia. S. Nissardi and C. Zucca	381
Review of Robb, Introduction to vocalizations of Crossbills in north-western Europe by D.E. Balmer	383

Index to Volume 20

Compiled by Hugh Insley

All species of bird mentioned in the text are included except those mentioned in the 1998 and 1999 Ringing Reports. Page numbers given are those of the first mention of the species in each paper.

- Accipiter nisus* 116
Acrocephalus melanopogon 187
A. palustris 224, 289
A. schoenobaenus 1, 375
A. scirpaceus 1, 186, 224, 233, 289, 293, 381
A. stentoreus 187
Actitis hypoleucos 216, 293
ADAMS, S.Y. (see CLARK, J.A., WERNHAM, C.V., BALMER, D.E., ADAMS, S.Y., GRIFFIN, B.M., BLACKBURN, J.R., and KING, J.)
ADAMS, S.Y. (see CLARK, J.A., WERNHAM, C.V., BALMER, D.E., ADAMS, S.Y., GRIFFIN, B.M., BLACKBURN, J.R., ANNING, D. and MILNE, L.J.)
Aegithalos caudatus 3
Age: determination 191, 193, 221, 352; of first breeding 100, 127; ratio 172
AKRIOTIS, T. (see WILSON, J.D., AKRIOTIS, T., BALMER, D.E. and KYRKOS, A.)
Alauda arvensis 364
ANDREOTTI, A., BENDINI, L., PIACENTINI, D. and SPINA, F. Redwing *Turdus iliacus* migration in Italy: an analysis of ringing recoveries. 312
ANNING, D. (see CLARK, J.A., WERNHAM, C.V., BALMER, D.E., ADAMS, S.Y., GRIFFIN, B.M., BLACKBURN, J.R., ANNING, D. and MILNE, L.J.)
Anser albifrons flavirostris 153
A. anser 153
A. brachyrhynchus 153
Anthus trivialis 293
ARCAS, J. Body weight variation and fat deposition in Common Sandpipers *Actitis hypoleucos* L. during their autumn migration in the Ria de Vigo, Galicia, north-west Spain. 216
Arctic Warbler 35
Arenaria interpres 209
ARINO, A.H. (see ESTEBAN, L., CAMPOS, F. and ARINO, A.H.)
Aythya ferina 358
A. fuligula 358
A. marila 358
BAIRLEIN, F. (see SALEWSKI, V., BAIRLEIN, F. and LEISLER, B.)
BALMER, D.E. (see CLARK, J.A., WERNHAM, C.V., BALMER, D.E., ADAMS, S.Y., BLACKBURN, J.R., GRIFFIN, B.M. and KING, J.)
BALMER, D.E. (see WILSON, J.D., AKRIOTIS, T., BALMER, D.E. and KYRKOS, A.)
BALMER, D.E. (see CLARK, J.A., WERNHAM, C.V., BALMER, D.E., ADAMS, S.Y., GRIFFIN, B.M., BLACKBURN, J.R., ANNING, D. and MILNE, L.J.)
Barnacle Goose 153
BARRIOCANAL, C. (see ROBSON, D., BARRIOCANAL, C., GARCIA, O., and VILLENA, O.)
Bee-eater 376
BELL, M.V. (see BOYD, H., BELL, M.V. and WATSON, A.D.)
BENDINI, L. (see ANDREOTTI, A., BENDINI, L., PIACENTINI, D. and SPINA, F.)
Bill: depth 321; length 9, 20, 303, 321, 328, 338
biometrics 9, 187, 224, 303, 328, 338, 364

- Blackbird 5, 369, 375
 BLACKBURN, J.R. (see CLARK, J.A., WERNHAM, C.V., BALMER, D.E., ADAMS, S.Y.,
 BLACKBURN, J.R., GRIFFIN, B.M. and KING, J.)
 BLACKBURN, J.R. (see CLARK, J.A., WERNHAM, C.V., BALMER, D.E., ADAMS S.Y., GRIFFIN,
 B.M., BLACKBURN, J.R., ANNING, D. and MILNE, L.J.)
 Blackcap 3, 30, 37, 292, 294, 344, 369
 Black-shouldered Kite 15
 Black-throated Accentor 186
 Black-winged Stilt 358
 Blue-cheeked Bee-eater 187
 Blue Tit 3, 111, 375
 BOLTON, M. and THOMAS, R. Moulting and ageing of Storm Petrels, *Hydrobates pelagicus*. 193
 Bonelli's Warbler 35, 294
 BOYD, H., BELL, M.V. and WATSON, A.D. Spring weather and the migration of geese from
 Scotland to Iceland. 153
Branta bernicla 153
B. leucopsis 153
 Brent Goose 153
 Brood patch 10, 111, 198
 BROTONS, L. Attracting and capturing Coal Tits *Parus ater*: biases associated with the use of
 tape lures. 129
 Brünnich's Guillemot 139, 320
Bucephala clangula 358
 Bullfinch 3
 BURTON, N.H.K. Reaction of Redshank *Tringa totanus* to colour rings. 213

Calandrella brachydactyla 376
Calidris alpina 209
C. canutus 244
C. ferruginosa 369
Calonectris diomedea 107
 CAMPOS, F. (see ESTEBAN, L., CAMPOS, F. and ARINO, A.H.)
 CAMPOS, F. (see LEKUONA, J.M. and CAMPOS, F.)
Caprimulgus europaeus 372
Cardinalis cardinalis 213
 Cardinal 213
Carduelis carduelis 171, 375
C. cannabina 171
C. chloris 115, 167
C. flavirostris 328
C. spinus 334
 Catch bias 129, 369, 377
Certhia brachydactyla 375
 CES (see Constant effort sites)
Cettia cetti 187, 375
 Cetti's Warbler 187, 375
 Chiffchaff 3, 30, 31, 186, 294, 375
Cinclus cinclus 9, 120, 147
 Cirl Bunting 375
Cisticola juncidis 375
 CLARK, J.A., WERNHAM, C.V., BALMER, D.E., ADAMS, S.Y., BLACKBURN, J.R., GRIFFIN, B.M.
 and KING, J. Bird Ringing in Britain and Ireland in 1998. 39
 CLARK, J.A., WERNHAM, C.V., BALMER, D.E., ADAMS, S.Y., GRIFFIN, B.M., BLACKBURN, J.R.,
 ANNING, D. and MILNE, L.J. Bird Ringing in Britain and Ireland in 1999. 239
 CLARK, H. and SELLERS, R.M. Biometrics of the Twite *Carduelis flavirostris*. 328
 CLEERE, N., KELLY, D. and PILCHER, C.W.T. Results from a late autumn ringing project in

- Kuwait, 1995. 186
 CLEERE, N. (see CLEERE, N., KELLY, D. and PILCHER, C.W.T.)
 Coal Tit 111, 129
 Collared Flycatcher 35, 375
 Colour rings 97, 130, 171, 181, 213, 300
 Common Gull 97
 Common Sandpiper 216, 293
 Common Scoter 358
 Common Tern 19
 Constant effort sites 1, 39, 241
 Cormorant 41, 181, 358
 Corn Bunting 114, 375
 Corncrake 352
Corvus corone cornix 377
 Cory's Shearwater 107
 COWLEY, E. June broods are of greatest benefit to Sand Martins *Riparia riparia*. 202
 Crested Tit 129
Crex crex 352
 Cuckoo 376
Cuculus canorus 376
 Curlew Sandpiper 369

 DAY, K.R. (see EVANS, D.M. and DAY, K.R.)
Delichon urbica 143
 Depth gauge 323
 DERRET, K. and SMITH, R. The status of Icelandic Redshank *Tringa totanus robusta* in north Kent during autumn. 338
 Dipper 9, 120, 147
 Dispersal, post natal 147
 Dunlin 209
 Dunnock 3, 186, 375

Elanus axillaris 15
E. caeruleus 15
E. leucurus 15
Emberiza cirrus 375
E. schoeniclus 221
Erithacus rubecula 3, 186, 369, 375
 ESTEBAN, L., CAMPOS, F. and ARINO, A.H. Biometrics amongst Dippers *Cinclus cinclus* in the north of Spain. 9
 EVANS, D.M. and DAY, K.R. Migration patterns and sex ratios of diving ducks wintering in Northern Ireland with specific reference to Lough Neagh. 358
 EXO, K.-M. and STEPANOVA, O. Biometrics of adult Grey Plovers *Pluvialis squatarola* breeding in the Lena Delta, NE-Siberia (The Sakha Republic, Yakutia). 303

 Fan-tailed Warbler 375
 Farmland birds 45
 Fat: score 137, 217, 233, 329, 345, 372; subcutaneous 131, 137
 Fattening, pre-migratory 344
Ficedula albicollis 35, 375
F. hypoleuca 29, 235, 375
F. parva 35
Fratercula arctica 109
 FRITZE, E.B. (see PEDERSEN, K.T., FRITZE, E.B. and KHARITONOV, S.P.)

Gallinula chloropus 357

- Gallirallus philippensis* 357
G. sylvestris 357
 GALPIN, B. Papers from Ringing Group Reports. 94
 GARCIA, O. (see ROBSON, D., BARRIOCANAL, C., GARCIA, O. and VILLENA, O.)
 Garden Warbler 3, 30, 37, 292, 294, 375
 GASTON, A. (see WILSON, L.J. and GASTON, A.)
Gavia immer 213
 Goldeneye 358
 Golden Oriole 375
 Goldfinch 171, 375
 Goosander 41
 Grasshopper Warbler 293, 375
 Great Northern Diver 213
 Great Shearwater 108
 Great Tit 5, 111, 375
 Greater Scaup 358
 GREEN, R., SCHAFFER, N. and WEND, D. A method for ageing adult Corncrakes *Crex crex*. 352
 Greenfinch 115, 167
 Greenland White-fronted Goose (see White-fronted Goose)
 Greenish Warbler 29, 35
 Greylag Goose 153
 Grey Plover 209, 303
 GRIFFIN, B.M. (see CLARK, J.A., WERNHAM, C.V., BALMER, D.E., ADAMS, S.Y., BLACKBURN, J.R., GRIFFIN, B.M. and KING, J.)
 GRIFFIN, B.M. (see CLARK, J.A., WERNHAM, C.V., BALMER, D.E., ADAMS, S.Y., GRIFFIN, B.M., BLACKBURN, J.R., ANNING, D. and MILNE, L.J.)
Grus canadensis 213
 Guillemot 109, 134, 320
 GUSTIN, M. (see SORACE, A., GUSTIN, M. and LANDUCCI, G.)
- Haematopus ostralegus* 244
 HARPER, D.G.C. Sexing Blue Tits *Parus caeruleus* during the winter, with comments on reporting sexing criteria. 111
 HARRIS, M.P., WANLESS, S. and WEBB, A. Changes in body mass of Common Guillemots *Uria aalge* in southeast Scotland throughout the year: implications for the release of cleaned birds. 134
 HARRISON, N.M., WHITEHOUSE, M.J., PRINCE, P.A. and HUIN, N. What problems do local habitat change represent for the Constant Effort Site ringing scheme? 1
 Head and bill length 191, 306
 HERREMANS, M. Cases of serial descendant primary moult (Staffelmauser) in the Black-shouldered Kite *Elanus caeruleus*. 15
 Herring Gull 105
 HILL, L.A. Post-breeding and post-juvenile moult of House Martins *Delichon urbica* at colonies in Spain. 143
Himantopus mexicanus 358
Hippolais pallida 31, 292, 297
H. polyglotta 29, 297, 375
Hirundo rustica 375
 HJORT, C. (see OTTOSSON, U., RUMSEY, S. and HJORT, C.)
 Hooded Crow 377
 Hoopoe 376
 House Martin 143
 HUIN, N. (see HARRISON, N.M., WHITEHOUSE, M.J., PRINCE, P.A. and HUIN, N.)
 HUTCHINSON, J.M.C. (see KING, J.M.B. and HUTCHINSON, J.M.C.)
Hydrobates pelagicus 125, 193

Isabelline Shrike 188
Italian Sparrow 375

JOUANIN, CHR. (see MOUGIN, J.-L., JOUANIN, CHR., ROUX, F. and ZINO, F.)
Jynx torquilla 297

KELLY, D. (see CLEERE, N., KELLY, D. and PILCHER, C.W.T.)
KELLY, D., CLEERE, N. and PILCHER, C.W.T. Notch Factor – a technique for separating Marsh Warblers *Acrocephalus palustris* from Reed Warblers *A. scirpaceus* on spring migration. 289
KHARITONOV, S.P. (see PEDERSEN, K.T., FRITZE, E.B. and KHARITONOV, S.P.)
KING, J. (see CLARK, J.A., WERNHAM, C.V., BALMER, D.E., ADAMS, S.Y., BLACKBURN, J.R., GRIFFIN, B.M. and KING, J.)
KING, J.M.B. and HUTCHINSON, J.M.C. Site fidelity and recurrence of some migrant bird species in The Gambia. 292
Kittiwake 108
Knot 244
KYRKOS, A. (see WILSON, J.D., AKRIOTIS, T., BALMER, D.E. and KYRKOS, A.)

LANDUCCI, G. (see SORACE, A., GUSTIN, M. and LANDUCCI, G.)
Lanius collurio 188, 375
L. isabellinus 188
L. senator 375
Lapwing 377
Larus argentatus 105
L. canus 97
LEKUONA, J.M. and CAMPOS, F. Site fidelity of Cormorants *Phalacrocorax carbo* wintering in southern France and northern Spain. 181
LEISLER, B. (see SALEWSKI, V., BAIRLEIN, F. and LEISLER, B.)
Linnet 171
Locustella naevia 293, 375
Long-tailed Tit 3
LO VALVO, F. and MASSA, B. Some aspects of the population structure of Storm Petrels *Hydrobates pelagicus* breeding on a Mediterranean island. 125
Luscinia megarhynchos 29, 297, 372

Magellanic Penguin 326
Magpie 213
MAIN, I.G. The partial migration of Fennoscandian Greenfinches *Carduelis chloris*. 167
Manx Shearwater 108
Mark recapture 132
Marsh Tit 119
Marsh Warbler 224
Mass 9, 23, 107, 134, 206, 216, 234, 303, 328, 345
MASSA, M. (see LO VALVO, F. and MASSA, B.)
MCCANCH, N. A formula for determining age in nestling Shags *Phalacrocorax aristotelis*. 191
Melanitta fusca 358
Melodious Warbler 29, 294, 375
Merops apiaster 376
M. persicus 187
Migration: autumn 19, 98, 216, 221, 224, 312, 358, 364; partial 167; spring 98, 153, 233, 289; pattern 358
Miliaria calandra 114, 375
MILNE, L.J. (see CLARK, J.A., WERNHAM, C.V., BALMER, D.E., ADAMS, S.Y., GRIFFIN, B.M., BLACKBURN, J.R., ANNING, D. and MILNE, L.J.)
Mortality 97, 316
Motacilla alba 375
M. flava 293
MOUGIN, J.-L., JOUANIN, CHR., ROUX, F. and ZINO, F. Fledging weight and juvenile survival

- of Cory's Shearwaters *Calonectris diomedea* on Selvagem Grande. 107
 Moulting: 134, 193, 307; post-juvenile 15, 143; post-nuptial 31, 143, 221, 381; primary 15, 19, 31; score 189
 Moustached Warbler 187
Muscicapa striata 29, 375
- Nightingale 29, 294, 372
 Nightjar 372
 NIKOLAUS, G. Partial winter primary moult in Chiffchaffs *Phylloscopus collybita*. 31
 NISSARDI, S. and ZUCCA, C. Complete post-breeding moult in Reed Warbler *Acrocephalus scirpaceus* in southern Sardinia. 381
 Northern Wheatear 375
- Oenanthe oenanthe* 375
 O'HALLORAN, J., SMIDDY, P. and O'MAHONY, B. Movement of Dippers *Cinclus cinclus* in southwest Ireland. 147
 Oiled birds 139
 Olivaceous Warbler 31, 292, 294
 OLSEN, H. and SCHMIDT, N.M. The impact of trapping and handling activities on the breeding performance of Hooded Crows *Corvus corone cornix*. 377
 O'MAHONY, B. (see O'HALLORAN, J., SMIDDY, P. and O'MAHONY, B.)
 Orientation 35
Oriolus oriolus 375
 Orphean Warbler 294, 344
 OTTOSSON, U., RUMSEY, S. and HJORT, C. Migration of four Sylvia warblers through northern Senegal. 344
Otus scops 372
 Oystercatcher 244
- Pallas's Warbler 35
Parus ater 111, 129
P. caeruleus 3, 111, 375
P. major 111, 375
P. palustris 119
Passer italiae 375
P. montanus 375
 PEARCE-HIGGINS, J.W. A model describing the exchange of individuals between Turnstone *Arenaria interpres* roosts on the North Wales coast. 209
 PEDERSEN, K.T., FRITZE, E.B. and KHARITONOV, S.P. Migration patterns of Common Gulls *Larus canus* ringed in the non-breeding season in Copenhagen and the surrounding area. 97
Phalacrocorax aristotelis 191
P. carbo 181, 358
 PHILLIPS, J. Autumn vagrancy: "reverse migration" and migratory orientation. 35
 Philopatry 107
Phoenicurus phoenicurus 297
Phylloscopus bonelli 35, 297
P. borealis 35
P. collybita 3, 31, 186, 297, 375
P. inornatus 35
P. proregulus 35
P. sibilatrix 235, 375
P. trochiloides 29, 35
P. trochilus 3, 29, 31, 186, 235, 293, 375
 PIACENTINI, D. (see ANDREOTTI, A., BENDINI, L., PIACENTINI, D. and SPINA, F.)
Pica pica 213
 Pied Flycatcher 29, 375

- Pied Wagtail 375
 PILCHER, C.W.T. (see CLEERE, N., KELLY, D. and PILCHER, C.W.T.)
 PILCHER, C.W.T. (see KELLY, D., CLEERE, N. and PILCHER, C.W.T.)
 Pink-footed Goose 153
Pluvialis squatarola 209, 303
 Pochard 358
 Population structure 125
 Primary length 303, 364
 PRINCE, P.A. (see HARRISON, N.M., WHITEHOUSE, M.J., PRINCE, P.A. and HUIN, N.)
Prunella atrogularis 186
P. modularis 3, 186, 375
 PUENTE DE LA, J. and SEOANE, J. The use of primary abrasion for ageing Reed Buntings
Emberiza schoeniclus. 221
 Puffin 109
Puffinus gravis 108
P. griseus 108
P. puffinus 108
Pyrrhula pyrrhula 3

 Radio tags 377
 RAS (see Ringing adults for survival)
 Recovery rate 97
 Red-backed Shrike 188, 375
 Red-breasted Flycatcher 35
 Red-breasted Merganser 41
 Redshank 209, 213, 338
 Redstart 30, 294
 Redwing 312
 Reed Bunting 221
 Reed Warbler 1, 30, 186, 224, 233, 293, 381
 Retrap rate 202, 210, 294
 Reverse migration 35
 Ringing adults for survival 39, 248
Riparia riparia 202
Rissa tridactyla 108
 Robin 3, 186, 369, 375
 ROBSON, D., BARRIOCANAL, C., GARCIA, O. and VILLENA, O. The Spring stopover of the
 Reed Warbler *Acrocephalus scirpaceus* in northeast Spain. 233
 ROUX, F. (see MOUGIN, J.-L., JOUANIN, CHR., ROUX, F. and ZINO, F.)
 RUMSEY, S. (see OTTOSSON, U., RUMSEY, S. and HJORT, C.)

 SALEWSKI, V., BAIRLEIN, F. and LEISLER, B. Recurrence of some palaeartic migrant passerine
 species in West Africa. 29
 Sandhill Crane 213
 Sand Martin 202
 Sandwich Tern 19
 Sardinian Warbler 375
Sarothrura spp. 357
 Satellite tracking 321
Saxicola rubetra 375
S. torquata 375
 SCEBBA, S. Biometrics and sex ratios of Skylarks *Alauda arvensis* during migration in southern
 Italy. 364
 SCHÄFFER, N. (see GREEN, R., SCHÄFFER, N. and WEND, D.)
 SCHMIDT, N.M. (see OLSEN, H. and SCHMIDT, N.M.)
 Scops Owl 372

- Sedge Warbler 1, 30, 375
 SELLERS, R.M. (see CLARK, H. and SELLERS, R.M.)
 SEOANE, J. (see PUENTE, DE LA, J. and SEOANE, J.)
 Serin 375
Serinus serinus 375
 Sex: determination 111; dimorphism 111, 130, 358; ratio 121, 150, 172, 358, 364, 369
 Shag 191
 Short-toed Lark 375
 Short-toed Treecreeper 375
 Siskin 334
 Site fidelity 29, 125, 147, 181, 209, 292, 312
 Skylark 364
 SMIDDY, P. (see O'HALLORAN, J., SMIDDY, P. and O'MAHONY, B.)
 SMITH, R. (see DERRET, K. and SMITH, R.)
 Song Thrush 3, 313, 375
 Sooty Shearwater 108
 SORACE, A., GUSTIN, M. and LANDUCCI, G. Evening mist-net closure: implications for data collection and bird welfare. 371
 Sparrowhawk 116
Spheniscus magellanicus 326
 SPINA, F. (see ANDREOTTI, A., BENDINI, L., PIACENTINI, D. and SPINA, F.)
 Spotted Flycatcher 29, 375
 Starling 313
 STEPANOVA, O. (see EXO, K.-M. and STEPANOVA, O.)
Sterna hirundo 19
S. sandvicensis 19
 Stonechat 375
 Storm Petrel 125, 193
Streptopelia turtur 376
 Stress 320, 371
Sturnus vulgaris 313
 Subalpine Warbler 292, 294, 344, 375
 Survival rate 107, 150
 Swallow 375
Sylvia atricapilla 3, 37, 292, 297, 344, 369
S. borin 3, 37, 235, 292, 297, 375
S. cantillans 235, 292, 297, 344, 375
S. communis 292, 297, 344, 375
S. hortensis 297, 344
S. melanocephala 375

Tachycineta bicolor 202
 Tail length 328, 364
 Tape lures 129, 364
 Tarsus length 9, 303, 328, 338, 364
 THOMAS, R. (see BOLTON, M. and THOMAS, R.)
 Tree Pipit 293
 Tree Sparrow 375
 Tree Swallow 202
Tringa totanus 209, 213, 338
Troglodytes troglodytes 3, 186, 375
 Tufted Duck 358
Turdus iliacus 312
T. merula 369, 375
T. philomelos 3, 313, 375
 Turnstone 209

Turtle Dove 376
Twite 328

Undertail coverts 365
Upupa epops 376
Uria aalge 109, 134, 320
U. lomvia 139, 320

Vagrancy 35
Vanellus vanellus 377
VILLENNA, O. (see ROBSON, D., BARRIOCANAL, C., GARCIA, O. and VILLENNA, O.)

WANLESS, S. (see HARRIS, M.P., WANLESS, S. and WEBB, A.)
WARD, R.M. Migration patterns and moult of Common Terns *Sterna hirundo* and Sandwich Terns *Sterna sandwicensis* using Teesmouth in late summer. 19
WATSON, A.D. (see BOYD, H., BELL, M. and WATSON, A.D.)
WEBB, A. (see HARRIS, M.P., WANLESS, S. and WEBB, A.)
Welfare 371
WEND, D. (see GREEN, R., SCHAFFER, N. and WEND, D.)
WERNHAM, C.V. (see CLARK, J.A., WERNHAM, C.V., BALMER, D.E., ADAMS, S.Y., BLACKBURN, J.R., GRIFFIN, B.M. and KING, J.)
WERNHAM, C.V. (see CLARK, J.A., WERNHAM, C.V., BALMER, D.E., ADAMS, S.Y., GRIFFIN, B.M., BLACKBURN, J.R., ANNING, D. and MILNE, L.J.)
Whinchat 30, 375
White-fronted Goose 153
WHITEHOUSE, P.A. (see HARRISON, N.M., WHITEHOUSE, M.A., PRINCE, P.A. and HUIN, N.)
Whitethroat 30, 292, 294, 344, 375
Willow Warbler 3, 29, 31, 186, 293, 375
WILSON, J.D., AKRIOTIS, T., BALMER, D.E. and KYRKOS, A. Identification of Marsh Warblers *Acrocephalus palustris* and Reed Warblers *A. scirpaceus* on autumn migration through the eastern Mediterranean. 224
WILSON, L.J. and GASTON, A. Effects of handling stress on Brunich's Gullmots *Uria lomvia*. 320
Wing length 9, 20, 120, 206, 233, 289, 308, 321, 328, 338, 345, 364
Woodchat Shrike 30, 375
Woodland birds 43
Wood Warbler 30, 375
Wren 3, 186, 375
Wryneck 30, 294

Yellow-browed Warbler 35
Yellow Wagtail 293

ZINO, F. (see MOUGIN, J.-L., JOUANIN, CHR., ROUX, F. and ZINO, F.)
ZUCCA, C. (see NISSARDI, S. and ZUCCA, C.)